PHARMACY BULLETIN

The official bulletin of Pharmacy Department, Hospital UiTM



in yhis issue

RAMADHAN &
MEDICATIONS:
MEDICINES THAT
WOULD AND
WOULD NOT
INVALIDATE
YOUR FASTING

OF
PARENTERAL
PENICILLINS:
WHAT ARE
THE DIFFERENCES?

RETROSPECT:
A LOOK BACK
AT PHARMACY
EVENTS IN
JAN-MARCH
2022

EDITORIAL BOARD

ADVISOR



MR NUR AZMI BIN BADARULZAMAN HEAD OF DEPARTMENT, PHARMACIST UF52 PHARMACY DEPARTMENT, HOSPITAL UITM (HUITM)

EDITOR & DESIGNER



MR MUHAMMAD ASYRAF BIN HARUN PHARMACIST, UF41 DRUG INFORMATION SERVICES UNIT PHARMACY DEPARTMENT, HUITM

CONTRIBUTOR



MISS NUR SYAHEERAH BINTI MD SUBI PHARMACIST, UF41 MEDICAL STORE UNIT, PHARMACY DEPARTMENT, HUITM



Beyond Medicines: Hypertension & Non-pharmacological Treatment

by Mr Muhammad Ikhram Shah Bin Ismail

Hypertension is a major global health burden. It can be proof when all health agencies in all country always have annual report and statistic regarding all important data related with hypertension on their country. World Health Organization (WHO) estimated over 1.13 billion peoples have hypertension and most of them is peoples live in low and middle incomes country.

Despite pharmacology treatment, nonpharmacology treatment also is a good approach to control hypertension. Exercise is a good component of nonpharmacological hypertension management. Preliminary data showed a 12-week physical activity counselling (PAC) programme based on the 5 A's paradigm increases physical activity and reduces patient hypertension (Sousa Junior et al., 2020). Same goes in Malaysia, when research founded that counselling on physical exercise was linked to improved BP control rate, whereas more drugs utilised was linked to lower BP control rate (Teh et al., 2020).

Thus, in this issue, knowledge and awareness of physical activity play a crucial factor to improve physical activity. The improvement of knowledge regarding physical activity will improve movement to have a good health. Students' after-school exercise programme study findings indicate that the programme promotes learning health concepts. Program that contains healthrelated knowledge integrated with cognitive program can help students improve their knowledge and awareness (Syrmpas & Goudas, 2021). While in Malaysia, CEria Respek Gigih Aktif Sihat (CERGAS) module has been shown to be helpful in enhancing secondary school adolescents' knowledge, attitude, and practise (KAP), and can serve as reference material for secondary school instructors (Lau et al., 2019).

TAKE HOME MESSAGE

Being Healthy & Fit Isn't a Fad or a Trend, It's a Lifestyle

Pharmacy Event

OUR 1ST EVER PHARMACY WEBINAR: RAMADHAN & MEDICATIONS





WEBINAR FARMASI 01/2022 UBAT DAN RAMADAN

25 MAC 2022 | JUMAAT | 10.00 PAGI - 12.00 TENGAH HARI

IMBAS KOD QR UNTUK PENYERTAAN



AGENDA

10.00 PAGI UCAPAN ALU-ALUAN

Oleh Encik Nur Azmi Bin Badarulzaman, Ketua Jabatan Farmasi, HUiTM

10.10 PAGI PENGURUSAN PENJAGAAN DIABETES DI BULAN RAMADAN

Oleh SN Nurul Izza Binti Mokhtar, Jururawat (Penjagaan Diabetes), HUiTM

10.40 PAGI PENGAMBILAN UBAT-UBATAN SEMASA BERPUASA

Oleh Cik Nur Syaheerah Binti Md Subi, Pegawai Farmasi, HUiTM

11.10 PAGI KELEBIHAN & KERINGANAN (RUKHSAH) DALAM BERPUASA

Oleh Ustaz Adam Bin Zakaria, Penolong Pendaftar (Hal Ehwal Islam), HUiTM

11.40 PAGI SESI SOAL JAWAB

Moderator : Cik Amira Nadzira Binti Abdul Hamid, Pegawai Farmasi, HUiTM

PENCERAMAH



CIK NUR SYAHEERA BINTI MD SUBI Pegawai Farmasi



SN NURUL IZZA BINTI MOKHTAR Jururawat (Penjagaan Diabetes)



USTAZ ADAM BIN ZAKARIA Penolong Pendaftar (Hal Ehwal Islam)

Anjuran : Jabatan Farmasi & Unit Latihan HUiTM

come join us!

RETROSPECT:

A LOOK BACK ON PHARMACY ACTIVITIES IN
JAN-MARCH 2022



Birthday celebration: January babies



Opening of Emergency Pharmacy (Farmasi Kecemasan)



Medical store Family Day

RETROSPECT:

A LOOK BACK ON PHARMACY ACTIVITIES IN JAN-MARCH 2022



Medical Store visit to HPUPM



TEDx talk by Mr Asyraf: Malay diaspora around the world



Webinar Pharmacy: Medicines & Ramadhan our 1st webinar!



Ist cytotoxic drug reconstituted by our CDR team!

MARCH 2022 VOL. 1, BIL. 2

Different types of parenteral penicillins: what are the differences?

AND HOW A MINOR MISTAKE COULD LEAD TO FATAL ERROR

by Mr Muhammad Asyraf Bin Harun

Name of medicines

Picture

Route of Administration & duration of action

Primary Indication

Range of Dose & Frequency

Benzylpenicillin 1 MIU Injection (600mg)

(also known as Penicillin G or crystalline penicillin/C-pen)



IV / IM, Short-acting i) Infections caused by susceptible organisms ii) Infective endocarditis

Adults: 18 - 24 mega unit/day, in divided doses (4-6 hourly)

Benzathine Penicillin 2.4 MIU Injection



IM ONLY. Long-acting

i) Treatment of mild to moderately severe infections due to Penicillin G sensitive organisms ii) Syphilis (except neurosyphillis as it has poor blood brain barrier permeability)

i) ADULT: 1.2 mega units IM ii) For syphillis: 2.4 mega units weekly for 1 - 3 weeks

Benzylpenicillin **5 MIU Injection** (3g)(also known as

Penicillin G or crystalline penicillin/C-pen)



IV / IM, Short-acting i) Infections caused by susceptible organisms ii) Infective

endocarditis

Paeds/Neonates: 25,000 - 100,000 units/kg/dose, in divided doses (6-12hourly)

IMPORTANT!

- Administration error of Benzathine Penicilline via IV route could lead to cardiorespiratory arrest as well as
- Always counter-check the doses of Benzylpenicillin injection prescribed, especially for paediatric doses. This can be improved by including the weight of paediatric patients on the label of medicines supplied.
- As benzylpenicillin 1 MIU & 5 MIU have been one of the most frequent drugs that were involved in dispensing error, extra precaution must be taken while counterchecking these medications, such as by placing 'LASA' stickers on them.

Ramadhan & medications



For Muslims, fast means abstaining from eating any foods, drinking and from doing anything, which could invalidate the fast, starting from dawn fajr (before sunrise,) until dusk (maghrib) which is approximately 14–16 hours a day.



By: Miss Nur Shaheerah Binti Md Subi

No.	Medicines that are permissible during fasting		
1.	Eye drops, ear drops and ear cleaning (provided no limit to the eardrum).		
2.	Sublingual tablet provided it is placed beneath the tongue only, and not swallowed.		
3.	All types of injections either through layers of skin, muscles, joints or blood vessels.		
4.	External cream or ointment, bandages and plaster to the skin surface.		
5.	Mouthwash gargle and therapeutic medicine spray to the mouth provided nothing is swallowed		
6.	Use of nasal spray.		
7.	Half or local anaesthesia.		







Ramadhan & medications: Medicines that invalidate fasting



No.	Medicines that invalidate fasting	
1.	Taking oral medicines such as tablet or syrup.	
2.	Entering any small tube (pessary) or medicine into the vagina and internal inspection procedures.	
3.	Use enemas, suppositories tubes, proctoscope or finger inserted into the anus or rectum for examination.	
4.	Full anaesthesia.	

USE OF INHALERS DURING FASTING IN RAMADHAN

DOES NOT INVALIDATE FASTING

The amount of substance from the inhaler enters the throat and into the stomach is too small, thus, it does not invalidate fasting, using the qiyas (analogical deduction) with gargling and istinsyaq (sniffing water into the nose for ablution).



INVALIDATE FASTING

It is impermissible to use inhaler during the day in Ramadhan, unless it is a necessity or a treatment for an illness. The substances from the inhaler will end up in the stomach through the mouth. Hence, it is permissible to break his fast and replace it later.

"After analysing both opinions, we are inclined stating the usage of inhaler during the dation in Ramadhan does not invalidate the fast."

Furthermore, we found that asthma attacks do not occur continuously but just happen occasionally while other times the sufferer is healthy. Islam is religion of acceptance and tolerance, thus, there is an exception for the usage of inhaler for asthma sufferer (does not invalidate the fast)."

ADJUSTMENT OF MEDICATIONS REGIMES DURING FASTING



TO TAKE 'BEFORE MEAL'



TO TAKE 'AFTER MEAL'





INFOGRAPHIC SOURCES:





NEW DRUGS APPROVED IN PUSPA 01/2022

BIL	MEDICINE NAME	TYPE OF FORMULARY	PRESCRIBER DISCIPLINE
1.	Etomidate 20mg/10ml Injection	Standard	Emergency, Anaesthetic, Endocrine
2.	Fluorescein 1mg Ophthalmic Strip	Standard	Emergency, Opthalmology
3.	Fuller's Earth powder	Standard	Emergency
4.	Pralidoxime Chloride 0.5g/20ml Injection	Standard	Emergency
5.	Hydrogen Peroxide 20 volume & 130 volume Solution	Standard	All
6.	Sodium Hypochlorite 10% Solution (1000ml) & 1% Solution	Standard	Infectious Disease



NEW DRUGS APPROVED IN PUSPA 01/2022

BIL	MEDICINE NAME	TYPE OF FORMULARY	PRESCRIBER DISCIPLINE
7.	Turpentine Oil	Standard	Emergency, Orthopaedic
8.	Ketoconazole 200mg tablet	Standard	Endocrine
9.	Levosimendan 2.5mg/ml Injection	Special	Medical (Intensivist), Cardiothoracic, Anaesthetic
10.	Mepivacaine HCl 2% with Adrenaline	Standard	Surgical, Dental
11.	Leucovorin Calcium (Calcium Folinate) 50 mg Injection	Special	Oncology

FURTHER INFORMATION:

Kindly check on further information (e.g. drug doses, dilution) from Hospital UiTM Formulary Google Sheet.